

The Patented PowerSki JetBoard SHORT NOSE MODEL Specification:

| <u>ITEM</u> | <u>UNIT</u> | |
|-------------------------------|-------------|--|
| MODEL CODE: | | |
| Hull | | Short Nose, Patented Hydrostep Design |
| Engine | | (2 stroke gasoline) Patented PowerSki SuperTorqueXT™ |
| DIMENSIONS: | | |
| Length | mm (in) | 2350 (92.5 inches) |
| Width | mm (in) | 636 (25 inches) |
| Height | mm (in) | 267.12 (10.5 inches) |
| Dry Weight | kg (lb) | 90kg (198 lbs) |
| PERFORMANCE: | | |
| Maximum Speed | km/h (mph) | 52 (32) |
| Maximum Output | KW (hp) | 23kW (32hp) |
| ENGINE: | | |
| Engine Type | | 2-stroke |
| Number of Cylinders | | one (1) |
| Displacement | cc (cu. In) | 330 (21.13) |
| Bore & Stroke | Mm (in) | 76mm X 72mm (2.99 X 2.83) |
| Compression Ratio | | F 7.2 R 6.8 |
| Intake System | | Reed Valve |
| Carburetor Type | | Floatless Type |
| Number of Carburetors | | One (1) |
| Carburetor Starting System | | Primer |
| Scavenging System | | Loop Charged |
| Lubrication System | | Premix |
| Cooling System | | Water-cooled |
| Starting System | | Electric Starter |
| Ignition System | | C.D.I. |
| Ignition Timing | | 15° BTDC - 20° BTDC |
| Spark Plug | | BR8HS |
| Battery Capacity | | 12V – 19AH |
| DRIVE UNIT: | | |
| Propulsion System | | Jet Pump |
| Jet Pump Type | | Axial Flow, Single Stage |
| Impeller Rotation | | Counter Clockwise (Rear View) |
| Transmission | | Direct Drive from Engine + Transmission |
| FUEL AND OIL: | | |
| Fuel | | Regular Leaded/Unlead |
| Gasoline and Oil Mixing Ratio | | 25:1 (W.O.T.) |
| Fuel Tank Capacity | (US Gal) | 1.45Gal |
| Average Estimated Range: | | 45min |